



Kingston Paints Pty Ltd
ACN 067 493 065 ABN 94 067 493 065
(PO Box 327, Somerton, Vic., 3062)
33-35 Adrian Road
CAMPBELLFIELD, VIC., 3061
Ph: (03) 9357 9396
Fax: (03) 9357 9398

MATERIAL SAFETY DATE SHEET
Health, Safety and Environment Data

DATE OF ISSUE: May 2010
Page 1 of 3

PRODUCT CODE: 281-8001

IDENTIFICATION

Product Name :	ACRYLIC UNDERCOAT - WHITE {Lead Free}
Proper Shipping Name	Not Required
UN Number:	Not Required
Dangerous Goods Class	Not Required
HAZCHEM	Not Required
Packaging Group	Not Required
Initial Emergency Response	Not Required
Poison Schedule Number	Not Required
Product Use	Acrylic Undercoat is a water based, acrylic resin coating, which may be applied by brush, roller or spray. It is used either as a sealer or undercoat for painting of both interior or exterior surfaces. If required, the product may be tinted with Universal Colourants ..

PHYSICAL DESCRIPTION AND OTHER PROPERTIES

Appearance	Coloured liquid
Initial Boiling Point:	100 ° Celsius {Literature value}
Vapour Pressure:	Less than 1
Specific Gravity:	1.4
Flash Point:	Non Flammable
Flammability Limits	Not Required
Solubility in Water:	Miscible
pH	8 - 10 {undiluted}

INGREDIENTS

CHEMICAL/SUBSTANCE NAME	CAS Number	Proportion
Water	7732-18-5	30 - 60 % w/w
Pigment/Extenders {Non - Hazardous}	Not Known	30 - 60 % w/w
Synthetic Resin {Non - Hazardous}	Not Known	10 - 30 % w/w
Additives {Non - Hazardous}	Not Known	0 - 5 % w/w

ACRYLIC UNDERCOAT - WHITE

Not Classified as Hazardous according to criteria of Worksafe Australia

HEALTH HAZARD INFORMATION

HEALTH EFFECTS - ACUTE

Swallowed	May be a mild irritant to the mouth, throat, and stomach.
Eyes	May be a mild irritant.
Skin	May be a mild irritant.
Inhalation	May be a mild irritant to nose, throat and respiratory tract.

HEALTH EFFECTS - CHRONIC

Chronic Not known for this product

FIRST AID

Swallowed	If swallowed, give 2 glasses of water to drink.
Eyes	If splashed into eyes, irrigate copiously with water for at least 15 minutes.
Skin	If skin contact occurs, wash thoroughly with soap and water.
Inhaled	Practically non-harmful by inhalation.
First Aid Facilities	Clean Water Supply, Barrier Cream, Soap and Eye Wash Stations.
Advice to Doctor	No specific treatment is recommended

PRECAUTIONS FOR USE

ENGINEERING REQUIREMENTS

Exposure Standards	Not required since this product is non-hazardous as defined by the relevant Worksafe - NOHSC documents.
Engineering Controls	When this product is used on interior surfaces, it is advisable to leave doors and windows open. For exterior application, no special ventilation requirements are necessary.

PERSONAL PROTECTION

Clothing	It is advisable to wear cotton overalls during the application period.
Gloves	If continuous skin contact is likely to occur, it is advisable to wear PVC or Neoprene Gloves.
Eyes	If splashing is likely to occur, it is advisable to wear safety glasses fitted with side shields or chemical splash goggles.
Respiratory Equipment {AS - NZS 1715/1716}.	If the ventilation is inadequate, it is advisable to wear a Type K Class 2 respirator.
Footwear	It is advisable to wear safety shoes or safety boots during the application period.

PROTECTIVE EQUIPMENT

Not required since this product is non-hazardous as defined by the relevant Worksafe- NOHSC documents. It is advisable to wear the recommended personal protection equipment as described in this Material Safety Data Sheet.

FLAMMABILITY

Non-Flammable. Will not burn if involved in a fire..

ACRYLIC UNDERCOAT - WHITE

Not Classified as Hazardous according to criteria of Worksafe Australia

SAFE HANDLING INFORMATION

STORAGE AND TRANSPORT

Storage Requirements Containers should be clearly labelled, rigid, strong and stored upright in a cool, dry, well ventilated area.

Transport Requirements Deemed as a Non - Dangerous Goods in accordance with the current edition "Australian Code for the Transport of Dangerous Goods by Road and Rail".

SPILLS AND DISPOSAL

Spills For all spills absorb onto sand, earth, or sawdust to absorb all spillages. Wash remaining residues with detergent and excess water.

Disposal Keep unwanted paint and residues in labelled and sealed containers for disposal via special waste collection services.

OTHER INFORMATION

WORKSAFE CLASSIFICATION

Hazard Category Not classified as a Hazardous Substance according to criteria of Worksafe Australia

CONTACT

For further information, please contact KINGSTON PAINTS PTY LTD
B.H. {03} 9357 9396

DISCLAIMER

This information is based on data believed by KINGSTON PAINTS PTY.LTD. to be accurate at the time of writing, but is subject to change without notice. It is given good faith, but no warranty expressed or implied is made as to its accuracy, completeness or otherwise. Every person dealing with the material referred to herein does so at their own risk, absolutely, and must make independent determination of suitability and completeness of all information from all sources to ensure their proper use.

